



THE WORLD'S BEST SELLING WATERING GUN IS NOW FASTER AND MORE DURABLE.



**QUICKLY
FILLS
BATTERIES**



**PRECISE
FLOW RATE**



**AUTOMATIC
SHUT-OFF**

The Gun-X brings features and benefits to help make watering batteries easier, quicker and more precise. With a regulated flow rate that quickly fills the batteries, the Gun-X greatly improves your battery watering capability, making it a lot safer too. The Gun-X has the added benefit of keeping your eyes and face away from battery hazards, being tough and durable to survive harsh environments and having an easy installation.

Best of all? The Gun-X reduces labor costs by up to \$150 a year for each 18-cell battery.

RELIABLE AND EASY

DIFFICULT...



Filling up lead acid batteries by hand can be quite dangerous as the operator has to get close to the battery components. Watering lead acid batteries without a Gun-X can affect:

- **Costs**
- **Waste**
- **Productivity**

Filling up batteries should be safe, reliable and productive as well as quick and easy. Doing it by hand is slowly, costly and potentially dangerous.

...SIMPLE



The Gun-X is the world's best-selling watering gun and is now faster, tougher and more durable. It is the only real alternative to manual battery watering as it can:

- **Deliver a precise flow rate**
- **Quickly fill batteries**
- **Automatically shut-off**

The Gun-X eliminates waste, increases productivity and is super easy to use. This makes it the must have tool in any battery room


A TOUGH TOOL FOR TOUGH ENVIRONMENTS

For over 20 years the Gun-X has been the industry's best selling battery watering gun. Today it is faster, more durable and reliable than ever.

Simply connect the Gun-X to a standard water hose, our watering cart or our Hydropure water deionizer system, put the tip of the gun into the battery cell and squeeze the ergonomic handle. Once the battery is filled, the mechanism will automatically shut off at exactly the right electrolyte level. Operators can feel this shut-off through the handle due to haptic feedback.

The Gun-X speeds up battery watering, improves filling accuracy and operator safety. Compared to hand watering, our next generation battery watering gun reduces labor costs up to \$150 (£100) a year for each 18-cell battery. It's no wonder that our watering guns have been the world's most popular battery maintenance tool for decades. When paired with our Blinky or Smart Blinky battery watering monitors, the Gun-X forms part of an effective battery maintenance program that will reduce costs and improve efficiencies, saving you time and money.

With a diameter of 17 mm (0.67 in.), our nozzle easily fits flip-top vent caps, as well as all standard quarter-turn, bayonet and DIN openings.



FEATURES & BENEFITS

Automatic shutoff:

- The Gun-X fills cells to precisely the correct level. The shutoff is so positive you can actually feel it.

Safe:

- It keeps eyes and face away from battery hazards, and reduces backache from bending over batteries. It is insulated to prevent sparking on connectors.

Reliable:

- The shutoff mechanism has been tested to 1 million cycles and proven in hundreds of thousands of tough applications worldwide. Powered by the water itself, it has no solenoids, no electronics and no wiring.

Fast but gentle:

- The flow rate is 1.7 gallons/minute (6.4 litres/minute), which is fast enough for the largest cells. Yet the flow is gentle enough to fill a coffee mug.

Easy Installation:

- Attach the Battery Watering Gun in seconds to any standard garden hose, our HydroFill Watering Cart or our HydroPure Deionizer System and you have a fully operating battery filling system. We always recommend using deionized water to fill a lead acid battery as some particulates found in water from the mains can damage the battery and reduce its performance.

TECHNICAL SPECIFICATIONS




TECHNICAL SPECIFICATIONS

SPECIFICATION		NOTES
Input / Operating Pressure	< 80	
Flow Rate	1.7gpm (6.4lpm)	
System Exposure Temperature	35° to 160°F (2° to 71°C)	
Weight	1.5lb (0.68kg)	
Product Height	7in (17.8cm)	
Product Length	15.5in (39.37cm)	
Product Width	1.5in (3.8cm)	
Shut-off	Automatic Shut-off	
Nozzle Angle	45°	
Nozzle Diameter	0.67in (17mm)	

The Gun-X reduces labor costs by up to \$150 a year for each 18-cell battery.

THE COMPLETE RANGE



FLIP-TOP VENT CAPS

- With a diameter of 0.67 in. (1.7 cm), our nozzle easily fits our Flip-Top vent caps, as well as all U.S. standard quarter-turn vent openings.
- When used with our Flip-Top vent caps, GUN-X is an easy and economical way to water batteries.

BATTERY WATERING CARTS

Bring the water to your battery with our range of battery watering carts. Paired with the Gun-X, these cordless watering carts make filling batteries even more convenient.



HYDROFILL WATERING CART

- Sturdy 10-gallon (38.9 litre) polypropylene tank
- Compact size
- Easy to transport and easy to use
- Rechargeable battery included, no need for an electric supply.
- 9 ft. (2.7 m) of industrial hose
- Part No. CRT-12V

GUN-X

THE WORLD'S BEST SELLING BATTERY WATERING GUN



FOR PRODUCT SPECIFICATIONS, USER GUIDES AND FURTHER INFORMATION PLEASE VISIT:

[HTTPS://WWW.PHLSCI.COM/PRODUCT-LINES/BATTERY-WATERING-GUN/MODEL-GUNX](https://www.phlsci.com/product-lines/battery-watering-gun/model-gunx)

PAK058 © Updated 05/2024 Philadelphia Scientific LLC. All Rights Reserved. Philadelphia Scientific and the PS logo are registered trademarks of Philadelphia Scientific LLC. Gun-X is a trademark of Philadelphia Scientific LLC. E&O.E



WWW.PHLSCI.COM

Philadelphia Scientific LLC
P: +1 (215) 616 0390
E: info@phlsci.com

Philadelphia Scientific EMEA
P: +44 (0) 1204 467777
E: info@ps-europe.net

Philadelphia Scientific ASIA PACIFIC
P: +61 (2) 8004 2447
E: info@phlsci.com.au

